

99006039261000

# Documentation of the work carried out and measures of the maintenance concept Receipt

Heruntergeladen am 23.06.2025

<https://fimportal.de/xzufi-services/S1000020010000011987/S100002>

Modul	Sachverhalt
Leistungsschlüssel	99006039261000
Leistungsbezeichnung I	Documentation of the work carried out and measures of the maintenance concept Receipt
Leistungsbezeichnung II	Maintenance concept for systems in potentially explosive areas, clarification of discrepancies
Typisierung	3 - Bundesaufsichtsverwaltung: Regelung
Quellredaktion	Hamburg
Freigabestatus Katalog	unbestimmter Freigabestatus
Freigabestatus Bibliothek	unbestimmter Freigabestatus
Begriffe im Kontext	<div lang="en-x-mtfrom-de">explosion protection</div>, <div lang="en-x-mtfrom-de">maintenance concept</div>
Leistungstyp	
Leistungsgruppierung	
Verrichtungskennung	

Modul	Sachverhalt
SDG-Informationsbereich	
Lagen Portalverbund	
Einheitlicher Ansprechpartner	Nein
Fachlich freigegeben am	29.06.2022
Fachlich freigegeben durch	
Handlungsgrundlage	Annex 2 Section 3 No. 5.4 Industrial Safety Ordinance (BetrSichV)
Teaser	If you, as an employer, have drawn up a maintenance concept that permanently ensures that your systems in potentially explosive areas are in a safe condition, regular inspections in accordance with the Industrial Safety Ordinance can be dispensed with.
Volltext	If you, as an employer, have drawn up a maintenance concept that permanently ensures that your systems in potentially explosive areas are in a safe condition, you can dispense with regular inspections in accordance with the Industrial Safety Ordinance. A testing organization evaluates the effectiveness of your maintenance concept. You must document all work and measures on the system as part of this maintenance concept. The responsible body will clarify any discrepancies between you, as the employer, and the testing organization that evaluates the maintenance concept.
Erforderliche Unterlagen	An informal report or request for clarification can be made by telephone, email or in writing. The following information is required for processing: Type of installation(s) requiring monitoring Information about the employer or operator Information on the reason for clarification Maintenance concept Test certificate from the testing organization
Voraussetzungen	There are disagreements between you as the employer and the auditing organization that assessed the maintenance concept. You would like to implement special maintenance measures to make certain recurring inspections of your systems in potentially

Modul	Sachverhalt
	explosive areas unnecessary through a special maintenance concept.
Kosten	Fees apply. The amount of the fees depends on the administrative effort.
Verfahrensablauf	You submit your informal report of the discrepancies with the required documents to the responsible authority. The responsible body will examine your request and your documents, in particular your maintenance concept and the test certificate from the testing organization. If necessary, the responsible body will request further documents or information from you or the testing organization. The responsible authority will clarify the discrepancies.
Bearbeitungsdauer	The responsible authority will contact you immediately.
Frist	No.
weiterführende Informationen	
Hinweise	No.
Rechtsbehelf	Information on legal remedies can be found in your decision or the response letter.
Kurztext	applies to systems in potentially explosive areas Maintenance concepts ensure more explosion safety Special maintenance concept eliminates the need for certain recurring tests
Ansprechpunkt	
Zuständige Stelle	Justice and Consumer Protection Authority
Formulare	
Ursprungsportal	Hamburg Service, Hamburg Service (Currently this link is only available in german)