

99031014001000

# Approval for demolition and renovation work in the presence of asbestos in a weakly bound form

Heruntergeladen am 07.06.2025

<https://fimportal.de/xzufi-services/S100002001000012063/S100002>

Modul	Sachverhalt
Leistungsschlüssel	99031014001000
Leistungsbezeichnung I	Approval for demolition and renovation work in the presence of asbestos in a weakly bound form
Leistungsbezeichnung II	Apply for approval for demolition and remediation work on weakly bound asbestos products
Typisierung	2 - Bundesauftragsverwaltung: Regelung
Quellredaktion	Hamburg
Freigabestatus Katalog	unbestimmter Freigabestatus
Freigabestatus Bibliothek	unbestimmter Freigabestatus
Begriffe im Kontext	<div lang="en-x-mtfrom-de">Weakly bound asbestos</div>, <div lang="en-x-mtfrom-de">Approval for construction work on asbestos</div>, <div lang="en-x-mtfrom-de">Asbestos construction permit</div>, <div lang="en-x-mtfrom-de">Demolition Asbestos Application</div>
Leistungstyp	

Modul	Sachverhalt
<b>Leistungsgruppierung</b>	
<b>Verrichtungskennung</b>	
<b>SDG-Informationsbereich</b>	
<b>Lagen Portalverbund</b>	
<b>Einheitlicher Ansprechpartner</b>	Nein
<b>Fachlich freigegeben am</b>	24.08.2022
<b>Fachlich freigegen durch</b>	
<b>Handlungsgrundlage</b>	[§8 paragraph 8 i. V. with Annex I No. 2.4.2 Paragraph 4 of the GefStoffV]( <a href="https://www.baua.de/DE/Themen/Arbeitsgestaltung-im-Betrieb/Gefahrstoffe/Arbeiten-mit-Gefahrenstoffen/Gefahrstoffverordnung/Gefahrstoffverordnung_node.html">https://www.baua.de/DE/Themen/Arbeitsgestaltung-im-Betrieb/Gefahrstoffe/Arbeiten-mit-Gefahrenstoffen/Gefahrstoffverordnung/Gefahrstoffverordnung_node.html</a> ) [TRGS 519 Asbestos: Demolition, renovation and maintenance work]( <a href="https://www.baua.de/DE/Angebote/Rechtstexte-und-Technische-Regeln/Regelwerk/TRGS/TRGS-519.html">https://www.baua.de/DE/Angebote/Rechtstexte-und-Technische-Regeln/Regelwerk/TRGS/TRGS-519.html</a> )
<b>Teaser</b>	If you want to carry out renovation or demolition work in the presence of asbestos in a weakly bound form (high fibre release), you will need a permit, which you must apply for from the responsible authority.
<b>Volltext</b>	You need a permit for renovation or demolition work in the presence of asbestos with high levels of fiber release. This applies in particular to work where asbestos is present in a weakly bound form or during work where a high number of asbestos fibers can be released.
<b>Erforderliche Unterlagen</b>	<ul style="list-style-type: none"> <li>• Proof of expertise</li> <li>• Activity-related work plans/risk assessment</li> <li>• Operating instructions</li> <li>• Proof of precaution</li> <li>• Personnel and safety equipment (specified in TRGS 519)</li> <li>• Test certificates (e.g. device inspections)</li> </ul>

Modul	Sachverhalt
	<ul style="list-style-type: none"> <li>• Proof of possible equipment leasing</li> <li>• Proof of practical experience of the supervisor</li> <li>• References for renovation work already carried out</li> </ul>
Voraussetzungen	<ul style="list-style-type: none"> <li>• They have appropriate personnel and safety equipment.</li> <li>• They meet the requirements of the Technical Rules for Hazardous Substances (TRGS) 519 on the handling of asbestos in order to protect people from the health hazards posed by asbestos.</li> </ul>
Kosten	Fees apply. The amount of the fees is between 100 euros and 1,000 euros.
Verfahrensablauf	<p>You can apply for a permit for renovation or demolition work from the responsible authority.</p> <ul style="list-style-type: none"> <li>• You fill out the application form and submit it with the required documents.</li> <li>• The responsible authority will check your application for completeness.</li> <li>• If necessary, the responsible authority will request further documents from you.</li> <li>• The responsible authority will decide on your application.</li> <li>• You will receive a notification.</li> </ul>
Bearbeitungsdauer	Once you have submitted all the required documents, processing will take 2 to 4 weeks.
Frist	You need approval before you can start demolition or renovation work.
weiterführende Informationen	<a href="https://www.baua.de/DE/Themen/Chemikalien-Biostoffe/Gefahrstoffe/Taetigkeiten-mit-Gefahrstoffen/Gefahrstoffverordnung.html">https://www.baua.de/DE/Themen/Chemikalien-Biostoffe/Gefahrstoffe/Taetigkeiten-mit-Gefahrstoffen/Gefahrstoffverordnung.html</a> <a href="https://www.baua.de/DE/Themen/Chemikalien-Biostoffe/Gefahrstoffe/Taetigkeiten-mit-Gefahrstoffen/Gefahrstoffverordnung.html">https://www.baua.de/DE/Themen/Chemikalien-Biostoffe/Gefahrstoffe/Taetigkeiten-mit-Gefahrstoffen/Gefahrstoffverordnung.html</a> <a href="https://www.baua.de/DE/Angebote/Regelwerk/TRGS/TRGS-519.html">https://www.baua.de/DE/Angebote/Regelwerk/TRGS/TRGS-519.html</a> <a href="https://www.baua.de/DE/Angebote/Regelwerk/TRGS/TRGS-519.html">https://www.baua.de/DE/Angebote/Regelwerk/TRGS/TRGS-519.html</a>
Hinweise	The approval is valid for the whole of Germany.

<b>Modul</b>	<b>Sachverhalt</b>
<b>Rechtsbehelf</b>	Objection within one month of receipt of the decision
<b>Kurztext</b>	<ul style="list-style-type: none"> <li>• Apply for approval for demolition and remediation work on weakly bound asbestos products             <ul style="list-style-type: none"> <li>• Weakly bound asbestos materials are removed</li> <li>• Appropriate personnel and safety equipment are available</li> <li>• Admission or rejection notices are subject to a fee</li> </ul> </li> </ul>
<b>Ansprechpunkt</b>	
<b>Zuständige Stelle</b>	Justice and Consumer Protection Authority
<b>Formulare</b>	
<b>Ursprungsportal</b>	Hamburg Service, Hamburg Service (Currently this link is only available in german)