

99063001006002

Änderung einer genehmigungsbedürftigen Anlage nach BImSchG Genehmigung für störfallrelevante Änderung

Heruntergeladen am 08.06.2025

<https://fimportal.de/xzufi-services/S1000030002414738/S100003>

Modul	Sachverhalt
Leistungsschlüssel	99063001006002
Leistungsbezeichnung I	Änderung einer genehmigungsbedürftigen Anlage nach BImSchG Genehmigung für störfallrelevante Änderung
Leistungsbezeichnung II	Applying for approval for accident-relevant changes to an installation requiring approval
Typisierung	2 - Bundesauftragsverwaltung: Regelung
Quellredaktion	Bremen
Freigabestatus Katalog	unbestimmter Freigabestatus
Freigabestatus Bibliothek	unbestimmter Freigabestatus
Begriffe im Kontext	Incident-relevant change, Plant is operating area, Failure to maintain an appropriate safety distance, Significant increase in risk, System component Operating area

Modul	Sachverhalt
Leistungstyp	
Leistungsgruppierung	
Verrichtungskennung	
SDG-Informationsbereich	
Lagen Portalverbund	Produkt- und Stoffzulassung (2120200), Anlagenbetrieb und -prüfung (2120100)
Einheitlicher Ansprechpartner	
Fachlich freigegeben am	01.04.2025
Fachlich freigegeben durch	
Handlungsgrundlage	https://www.gesetze-im-internet.de/bimSchG/_16a.html
Teaser	Do you intend to make changes to an installation requiring a permit that are relevant to an incident? Then you must first apply for a permit from the responsible authority.
Volltext	Do you operate an installation that is subject to immission control licensing and constitutes an operating area or is part of an operating area, and are you planning to make changes to the installation that are relevant to incidents? These projects can lead to a significant increase in risk being triggered by the plant as a result of the change or other requirements under immission control law can no longer be guaranteed. Against this background, the immission control authority must review these changes. To do this, you must submit an application for a modification permit and submit all the documents required for the assessment. The application can be made in writing or electronically. However, approval is not required if and insofar as the

Modul	Sachverhalt
	obligation to maintain the appropriate safety distance is already guaranteed at the level of a spatially significant plan or measure by binding specifications.
Erforderliche Unterlagen	• ELiA forms • (Electronic immission control application), available on the website of the Trade Supervisory Authority of the State of Bremen • Required drawings, plans or expert opinions • Explanatory notes on the system • Other documents • If necessary, ask the competent authority
Voraussetzungen	The modification permit will be granted if: • it is ensured that the obligations arising from the provisions of the Federal Immission Control Act and the Federal Immission Control Ordinances are fulfilled, • other public law regulations and occupational health and safety concerns do not conflict with the construction and operation of the plant and • the change is not already covered by Section 16 (1) sentence 1 BImSchG.
Kosten	Depending on the individual case.
Verfahrensablauf	• You apply for the modification permit in writing to the competent authority. • You enclose the necessary documents with the application. • The competent authority confirms receipt of the documents and informs you which additional documents it needs to assess the requirements. • The authority involves the public authorities and the public • You can only start work on your project once you have received approval. Online application: • You will find the link to the online service "ELiA-Online - Electronic immission control application" under "Further information". • Please log in with your access data via the

Modul	Sachverhalt
	Gemeinsam-Online service account or register first. • ELiA-Online is a form-based online service that can also be used to attach additional documents (expert reports, drawings, etc.) to the application or notification using the upload function.
Bearbeitungsdauer	6 Monat(e) From the time the documents are complete. The authority may extend the deadline by three months.
Frist	There is no deadline.
weiterführende Informationen	https://www.gewerbeaufsicht.bremen.de/elektronische-immissionsschutzrechtliche-antragstellung-elia-14177
Hinweise	Legal remedy: • Appeal • Legal action
Rechtsbehelf	
Kurztext	
Ansprechpunkt	
Zuständige Stelle	
Formulare	
Ursprungsportal	Serviceportal der Freien Hansestadt Bremen, Service portal of the Free Hanseatic City of Bremen